


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20010037349"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 15:22
L2	758	LMC or (linear adj minimum adj convolution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 15:48
L3	5	(linear adj minimum adj convolution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 15:23
L4	1	("6665852").URPN.	USPAT	OR	ON	2005/02/25 15:47
L5	1	("6324675").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/25 15:47
L6	758	LMC or (linear adj (minimum or minimal) adj convolution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 16:09
L8	758	LMC or ((linear or least) adj (minimum or minimal) adj convolution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 15:49
L9	2	convolution and LMC and "708"/\$. cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 15:50
L10	91	708/420.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 15:50
L11	78	10 and convolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 15:50
L12	36	11 and linear	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 15:50

L13	0	2 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 15:50
L14	352	(LMC or (linear adj (minimum or minimal))) and rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 16:17
L15	4	14 and "708"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 16:20
L16	2	convolut\$5 and 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 16:20
L17	33	convolut\$5 and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 16:46
L18	3467	((linear and (minimum or minimal)) or LMC) and clip\$3 and slope\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 16:48
L19	3987	((linear and (minimum or minimal)) or LMC) and clip\$4 and slope\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 16:48
L20	480	19 and forward and backward	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 16:48
L21	35	knot and 20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 16:49

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)Welcome  
United States Patent and Trademark  
Office[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)[» Search Results](#)

**IEEE**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log out

**Library Services**

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

**Search**

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

**Member Services**

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

**Help**

- ☐ Access the IEEE Emergency File Cabinet

Your search matched **0** of **1130773** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

 ☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine   **CNF** = Conference   **STD** = Standard**Results:****No documents matched your query.**

Print Results


[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

[IEEE Home](#) | [Search IEEE](#) | [Shop](#) | [Web Account](#) | [Contact IEEE](#)

[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)


Welcome  
United States Patent and Trademark  
Office


[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)
[Quick Links](#)
» [Search Results](#)
[Welcome to IEEE Xplore](#)

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

[Browse by Category](#)

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

[Search](#)

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

[Member Services](#)

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

[Help](#)

- ☐ Access the IEEE Xplore Full-Text Collection

Your search matched **2** of **1130773** documents.  
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

#### Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.


☐ Check to search within this result set

#### Results Key:

**JNL** = Journal or Magazine    **CNF** = Conference    **STD** = Standard

#### 1 Multiresolution analysis on Irregular surface meshes

*Bonneau, G.-P.;*

Visualization and Computer Graphics, IEEE Transactions on , Volume: 4 , Issue: 4 , Oct.-Dec. 1998  
Pages:365 - 378

[\[Abstract\]](#)   [\[PDF Full-Text \(5812 KB\)\]](#)   **IEEE JNL**

#### 2 A vector statistical piecewise polynomial approximation algorithm for environment compensation in telephone LVCSR

*Zhaobing Han; Shuwu Zhang; Huayun Zhang; Bo Xu;*

Acoustics, Speech, and Signal Processing, 2003. Proceedings. (ICASSP '03). 2003 IEEE International Conference on , Volume: 2 , 6-10 April 2003  
Pages:II - 117-20 vol.2

[\[Abstract\]](#)   [\[PDF Full-Text \(331 KB\)\]](#)   **IEEE CNF**

Print Fulltext


[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership | Publications/Services | Standards | Conferences | Careers/Jobs

Welcome  
United States Patent and Trademark  
Office
[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)[» Search Results](#)[IEEE Xplore](#)

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

[Library Services](#)

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

[Search Options](#)

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

[Membership Services](#)

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

[IEEE Xplore](#)

- ☐ Access the IEEE Xplore File Cabinet

[Print Format](#)Your search matched **67** of **1130773** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

(linear <and> minimum <and> convolution) <and> rout ☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine   **CNF** = Conference   **STD** = Standard**1 Receivers with widely linear processing for frequency-selective channels**Gerstacker, H.; Schober, R.; Lampe, A.;  
Communications, IEEE Transactions on , Volume: 51 , Issue: 9 , Sept. 2003  
Pages:1512 - 1523[\[Abstract\]](#)   [\[PDF Full-Text \(793 KB\)\]](#)   **IEEE JNL****2 An upper bound on the minimum distance of a convolutional code**Robinson, J.;  
Information Theory, IEEE Transactions on , Volume: 11 , Issue: 4 , Oct 1965  
Pages:567 - 571[\[Abstract\]](#)   [\[PDF Full-Text \(712 KB\)\]](#)   **IEEE JNL****3 Blind separation of linear convolutive mixtures through parallel stochastic optimization**Cohen, M.; Cauwenberghs, G.;  
Circuits and Systems, 1998. ISCAS '98. Proceedings of the 1998 IEEE International Symposium on , Volume: 3 , 31 May-3 June 1998  
Pages:17 - 20 vol.3[\[Abstract\]](#)   [\[PDF Full-Text \(328 KB\)\]](#)   **IEEE CNF****4 New results on the application of antenna diversity and turbo-codes In a JD-CDMA mobile radio system**Nasshan, M.; Jung, P.;  
Personal, Indoor and Mobile Radio Communications, 1994. Wireless Networks - Catching the Mobile Future. 5th IEEE International Symposium on , 18-23 Sept. 1994  
Pages:524 - 528 vol.2[\[Abstract\]](#)   [\[PDF Full-Text \(532 KB\)\]](#)   **IEEE CNF****5 Using combinatorial optimization to design good unit-memory convolutional codes**Said, A.; Palazzo, R., Jr.;  
Information Theory, IEEE Transactions on , Volume: 39 , Issue: 3 , May 1993  
Pages:1100 - 1108[\[Abstract\]](#)   [\[PDF Full-Text \(795 KB\)\]](#)   **IEEE JNL**

**6 On unit constraint-length convolutional codes***Abdel-Ghaffar, K.A.S.;*Information Theory, IEEE Transactions on , Volume: 38 , Issue: 1 , Jan. 1992  
Pages:200 - 206[\[Abstract\]](#) [\[PDF Full-Text \(564 KB\)\]](#) **IEEE JNL****7 Selforthogonal convolutional codes derived from linear congruences***Da Rocha, V.C.;*Electronics Letters , Volume: 27 , Issue: 6 , 14 March 1991  
Pages:526 - 528[\[Abstract\]](#) [\[PDF Full-Text \(236 KB\)\]](#) **IEEE JNL****8 A construction of binary BCH convolutional codes***Rosenthal, J.; York, E.V.;*Information Theory. 1997. Proceedings., 1997 IEEE International Symposium on , 29 June-4 July 1997  
Pages:291[\[Abstract\]](#) [\[PDF Full-Text \(76 KB\)\]](#) **IEEE CNF****9 Convolutional codes from "optimal" linear block codes***Ray, G.A.;*Signals, Systems and Computers, 1996. 1996 Conference Record of the Thirtieth Asilomar Conference on , 3-6 Nov. 1996  
Pages:853 - 857 vol.2[\[Abstract\]](#) [\[PDF Full-Text \(352 KB\)\]](#) **IEEE CNF****10 Computing the minimum distance of linear codes by the error impulse method***Berrou, C.; Vaton, S.; Jezequel, M.; Douillard, C.;*Global Telecommunications Conference, 2002. GLOBECOM '02. IEEE , Volume: 2 , 17-21 Nov. 2002  
Pages:1017 - 1020 vol.2[\[Abstract\]](#) [\[PDF Full-Text \(328 KB\)\]](#) **IEEE CNF****11 Optimal allocation of bandwidth for source coding, channel coding, and spreading in CDMA systems***Qinghua Zhao; Cosman, P.; Milstein, L.B.;*Communications, IEEE Transactions on , Volume: 52 , Issue: 10 , Oct. 2004  
Pages:1797 - 1808[\[Abstract\]](#) [\[PDF Full-Text \(584 KB\)\]](#) **IEEE JNL****12 Forward-link performance of satellite CDMA with linear interference suppression and one-step power control***Weimin Xiao; Honig, M.L.;*Wireless Communications, IEEE Transactions on , Volume: 1 , Issue: 4 , Oct. 2002  
Pages:600 - 610[\[Abstract\]](#) [\[PDF Full-Text \(688 KB\)\]](#) **IEEE JNL****13 Coding for a coherent DS-CDMA system employing an MMSE receiver in a Rayleigh fading channel***Foerster, J.R.; Milstein, L.B.;*Communications, IEEE Transactions on , Volume: 48 , Issue: 6 , June 2000  
Pages:1012 - 1021[\[Abstract\]](#) [\[PDF Full-Text \(336 KB\)\]](#) **IEEE JNL****14 Iterative (turbo) soft interference cancellation and decoding for coded CDMA**

*Xiaodong Wang; Poor, H.V.;*

Communications, IEEE Transactions on , Volume: 47 , Issue: 7 , July 1999

Pages:1046 - 1061

[\[Abstract\]](#) [\[PDF Full-Text \(504 KB\)\]](#) **IEEE JNL**

---

**15 A directed search approach for unit-memory convolutional codes**

*Ebel, W.J.;*

Information Theory, IEEE Transactions on , Volume: 42 , Issue: 4 , July 1996

Pages:1290 - 1297

[\[Abstract\]](#) [\[PDF Full-Text \(668 KB\)\]](#) **IEEE JNL**


---

[1](#) [2](#) [3](#) [4](#) [5](#) [Next](#)

---

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved



Web Images Groups News Froogle Local <sup>New!</sup> more »

linear minimum convolution

Search

Advanced Search  
Preferences

## Web

Results 1 - 10 of about 132,000 for linear minimum convolution. (0.28 seconds)

### [PPT] This is ab

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... Propagation formulation. **Linear Minimum Convolution (LMC)**. The minimum cost path search algorithm. ... s. x. E. h. G. 4/3/2001. **Linear Minimum Convolution (LMC)**. Definition ... [www.sigcra.org/isipd2004/2001/presentations/12\\_1.ppt](#) - [Similar pages](#)

### [PDF] A Minimum Cost Path Search Algorithm Through Tile Obstacles

File Format: PDF/Adobe Acrobat

... be computed by a process we will refer to as **linear minimum convolution**. ... The **linear minimum convolution (LMC)** of  $\alpha$  and  $(\ )$   $f_x$ , and ... [dx.doi.org/10.1145/369881.369771](#) - [Similar pages](#)

### INTRODUCTION TO DIGITAL FILTERS WITH AUDIO APPLICATIONS

... Shift Theorem; **Convolution Theorem**. Z Transform of **Convolution**; ... **Minimum-Phase/Allpass Decomposition**; **Linear Phase Audio Filters**; **Minimum Phase Filters** and ... [ccrma.stanford.edu/~jos/filters/](#) - 35k - [Cached](#) - [Similar pages](#)

### [PDF] Problem Set 1 (due Feb. 13) Linear regression, convolution, and ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 13) **Linear regression, convolution, and correlation** Feb. ... (f) What is the maximum value of the stimulus? (g) What is the **minimum** value of the stimulus? ... [hebb.mit.edu/courses/3.29/2004/assignments/ps01.pdf](#) - [Similar pages](#)

### [PDF] Distance Transforms of Sampled Functions

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Keywords: Euclidean distance transform, **Minimum convolution**, Dynamic Programming. Abstract This paper provides **linear-time** algorithms for solving a class of ... [www.cs.cornell.edu/~dsh/papers/dt.pdf](#) - [Similar pages](#)

### [PDF] Fault-Tolerant Linear Convolution Using Residue Number Systems

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... be corrected. 3 **Linear Convolution (LC)** Using RNS and PRNS ... the equivalent LC of the polynomial coefficients, (20), in a RNS. To determine the **minimum** number of ... [www.lti.csb.nyu.edu/~matthew/filprns.pdf](#) - [Similar pages](#)

### PPI no. 3, 2001

... codes of length  $n$ , dimension  $k$ , and **minimum** Hamming distance ... Over  $GF(5)$ , eight new **linear codes** are constructed ... The algorithm of **convolution** is applied to the ... [www.ece.umd.edu/~abarg/ppi/contents/3-01-abstracts.html](#) - 7k - [Cached](#) - [Similar pages](#)

### PPI no. 2, 2003

... the best known lower bounds on **minimum** distance. ... to find the largest asymptotic efficiency of **linear** detectors for ... pair to the case where **n-convolution** is used ... [www.ece.umd.edu/~abarg/ppi/contents/2-03-abstracts.html](#) - 8k - [Cached](#) - [Similar pages](#)  
[ More results from [www.ece.umd.edu](#) ]

### [PDF] Image reconstruction using symmetric convolution and discrete ...

File Format: PDF/Adobe Acrobat

... This is analogous to circular **convolution**, which periodically replicates the sequences, performs a **linear convolution**, and then windows the result. ... [josa.osa.org/ViewMedia.cfm?id=1678&seq=0](#) - [Similar pages](#)

### [PDF] \*3376\*5\$1 : \* 76\*5 15 1111 9HQXH &RXQWU 'DWH \$JHQGD.WHP ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... received snapshots from 3 different antennas stacked on top of one another, matrix + represents the **convolution** of the ... A Multi-user **Linear Minimum Mean Squared** ... [www.ist-inettra.org/inettra/presentations/UPC\\_contribution.pdf](#) - [Similar pages](#)



1 2 3 4 5 6 7 8 9 10 **Next**

Free! Google Desktop Search: Search your own computer. [Download now.](#)

**Find:**  emails -  files -  chats -  web history

linear minimum convolution **Search**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google